SS 12.1 - AUDIO LOOPS

System description: Audio loops or other assistive listening systems		
Make	Model	Location
1		
2		
Performance/Installation Standard:	 AS 60118.4:2007 Hearing aids – Magnetic field strength in audio-frequency induction loops for hearing aid purposes NZS 4121:2001 Design for access and mobility – buildings and associated facilities (Appendix H Hearing augmentation - listening systems) 	
Inspections & Maintenance		aned Alternative Solution (please specify)
Standard:	 audio-frequency is NZS 4121:2001 II and associated fa augmentation - liss Specifically Desig ✓ As per the Comp 	gned Alternative Solution (please specify) bliance Schedule handbook (see below)
As a minimum these inspections and maintenance procedures will be carried out:	Planned preventative maintenance and responsive maintenance will be carried out in accordance with the nominated performance and inspection standard or document to ensure the system will operate as required. See Below	
Inspection frequency and responsibility:	Six -monthly	✓ IQP
	 Annually 	V IQP
Reporting:	 The owner must keep records of all inspections, maintenance and repairs undertaken in the previous 24 months. The records must be kept with the compliance schedule and as a minimum, include: Details of any inspections, tests or preventative maintenance carried out. Include dates, work undertaken, faults found, remedies applied, and the person who performed the work. A Form 12A provided by an IQP annually. 	