

SS 3.2 - ACCESS CONTROLLED DOORS

System description: Electromagnetic or automatic doors or windows – Access control doors			
No.	Make	Model	Location
1			
2			
3			
4			
5			
6			
7			
8			
9			
Performance/Installation Standard:		<input type="checkbox"/> NZS 4239:1993 Automatic sliding door assemblies <input type="checkbox"/> AS 4085:1992 Automatic sliding door assemblies <input type="checkbox"/> Specifically Designed Alternative Solution – Code of practice for: <i>Electro Mechanical Controlled Locking Devices on Egress Doors</i> <input type="checkbox"/> Specifically Designed Alternative Solution (please specify) <input checked="" type="checkbox"/> C/AS2: 3.15.2 (a)(c) & 3.15.7 (b)(i)	
Inspections & Maintenance Standard and Requirements:		<input type="checkbox"/> NZS 4239:1993 Automatic sliding door assemblies <input type="checkbox"/> AS 4085:1992 Automatic sliding door assemblies <input type="checkbox"/> Specifically Designed Alternative Solution – Code of practice for: <i>Electro Mechanical Controlled Locking Devices on Egress Doors</i> <input type="checkbox"/> Specifically Designed Alternative Solution (please specify) <input checked="" type="checkbox"/> As per the Compliance Schedule handbook (see below)	
As a minimum these inspections and maintenance procedures will be carried out:		Planned preventative maintenance and responsive maintenance will be carried out in accordance with the nominated performance and inspection standard or document to ensure the system will operate as required.	
Inspection frequency and responsibility:		<input checked="" type="checkbox"/> Six Monthly	<input checked="" type="checkbox"/> IQP
		<input checked="" type="checkbox"/> Annually	<input checked="" type="checkbox"/> IQP
Reporting:		The owner must keep records of all inspections, maintenance and repairs undertaken in the previous 24 months. The records must be kept with the compliance schedule and as a minimum, include: <ul style="list-style-type: none"> • Details of any inspections, tests or preventative maintenance carried out. Include dates, work undertaken, 	

SS 3.2 - ACCESS CONTROLLED DOORS

	<p>faults found, remedies applied, and the person who performed the work.</p> <ul style="list-style-type: none">• A Form 12A provided by an IQP annually.
--	---