

SS 8.3 - ESCALATORS & MOVING WALKS

System description: Escalators & moving walks			
	Make	Model	Location
1			
2			
Installation Standard:	<input type="checkbox"/> D2 AS/3 <input type="checkbox"/> EN 115.1:2008 Clause 7.4 <input type="checkbox"/> Specifically Designed Alternative Solution (please specify)		
Inspections and Maintenance Standard:	<input type="checkbox"/> Compliance Schedule Handbook - D2 AS/3 <input type="checkbox"/> Compliance Schedule Handbook - EN 115.1:2008 Clause 7.4 <input type="checkbox"/> Specifically Designed Alternative Solution (please specify) <input checked="" type="checkbox"/> As per the Compliance Schedule handbook (see below)		
As a minimum these inspections and maintenance procedures will be carried out:	Planned preventative maintenance and responsive maintenance will be carried out in accordance with the nominated performance and inspection standard or document to ensure the system will operate as required.		
Inspection frequency and responsibility:	<input checked="" type="checkbox"/> Annually	<input checked="" type="checkbox"/> IQP	
Reporting:	The owner must keep records of all inspections, maintenance and repairs undertaken in the previous 24 months. The records must be kept with the compliance schedule and as a minimum, include: <ul style="list-style-type: none"> • Details of any inspections, tests or preventative maintenance carried out. Include dates, work undertaken, faults found, remedies applied, and the person who performed the work. • A Form 12A provided by an IQP annually. 		